

New Constantan 6J11 Copper Nickel Alloy Resistance Wire Flat Strip Ribbon

Basic Information

. Place of Origin: China Brand Name: Victory

· Certification: **ROHS,ISO 9001** Model Number: New constantan 6J11

• Minimum Order Quantity:

• Price: 15~25\$/kg

 Packaging Details: Wooden box/pallet, spool wire with carton

box, coil with polybag

• Delivery Time: 5-21 days

. Payment Terms: L/C, T/T, Western Union, MoneyGram

Supply Ability: 300 tons per month



Product Specification

• Product Name: New Constantan 6J11 Copper Nickel Alloy

Resistance Wire Flat Strip Ribbon Wire

Cu/Ni/Mn Material: · Nickel: 10.5~12.5% Resistivity: 0.49+/-0.03 420 MPA Tensile Strength: 8.0 G/cm3 • Density: • Condition: Hard / Soft • Sureface: Bright • Delivery Time: 7-20 Days · Magnetic Properties: Non-Magnetic

. Thermal Conductivity At 2W/mK

20°C:

• Diameter: 0.1~10mm

. Highlight: ribbon alloy resistance wire,

flat strip Ribbon wire,



More Images



Product Description

Introduction:

Constantan 6J11 is a specific type of constantan alloy wire. This alloy is typically used in the production of resistors, strain gauges, and other applications where a stable, low-temperature coefficient of resistance is required. Constantan 6J11 is known for its consistent electrical properties over a wide temperature range, making it suitable for precision measurement and control systems

Application:

Resistors: Constantan 6J11 wire is used in the manufacturing of precision resistors due to its low temperature coefficient of resistance and stable electrical properties over a wide temperature range.

Strain Gauges: It is utilized in the production of strain gauges for measuring mechanical strain in various materials and structures.

Temperature Sensors: Constantan 6J11 wire can be employed in the construction of temperature sensors and thermocouples due to its consistent electrical behavior over a range of temperatures.

Precision Instrumentation: It is used in precision measurement and control systems where stable electrical properties are essential for accurate readings and control.

Heating Elements: In some cases, Constantan 6J11 wire can be used in heating elements and other applications where its resistance properties are advantageous.

Advantage:

Resistance to Corrosion: Constantan 6J11 wire is resistant to corrosion, which enhances its durability and reliability in various environmental conditions.

High Tensile Strength: The wire has high tensile strength, making it suitable for applications where mechanical durability is important.

Compatibility with Welding: Constantan 6J11 wire is often compatible with welding processes, allowing for ease of integration into various manufacturing processes.

These advantages make Constantan 6J11 wire a preferred choice for applications such as precision resistors, strain gauges, temperature sensors, and other precision instrumentation where stable electrical properties are crucial.

Parameter:

Main Chemical composition (%)

| New Constantan | Copper | Al | Mn | Fe |
|-------------------|--------|---------|-----------|---------|
| Chemical | Rest | 2.5~4.5 | 10.5~12.5 | 1.0~1.6 |

Physical Parameters:

| Туре | Resistivi ty (μΩ.m2 0°C) Max workir temperatur (°C) | g Tensile e strength (Mpa) | Melting point (°C) | Density (g/cm) | EMF vs Cu uV/°C (0~100°C) | Elongation (%) |
|------|--|----------------------------------|--------------------|-------------------|---------------------------------|----------------|
| 6J11 | 0.49+/- 400 | 420 | 1280 | 8.9 | 2 | >15% |

Type of product:

| Type of product. | | | | | |
|------------------|---------------|-----------|-------------|--|--|
| Туре | | others | | | |
| Round wire | 0.1~8mm | | | | |
| Flat ribbon wire | W- 0.5~5mm | T-0.1~3mm | Customized | | |
| Strip/foil | W- 6~250mm | T-0.1~3mm | Odstornized | | |
| Rod | 8~200mm | | | | |





Contact

Email: victory@dlx-alloy.com

Changzhou Victory Technology Co., Ltd

+8619906119641

victory@dlx-alloy.com



victory-alloy.com

NO.32 West Taihu Road, Xinbei District, Changzhou, Jiangsu